JAXPETY

User Manual

Instruction for Assembly 4.2' * 9.1' Metal Shed



JAXPETY

Assembly Preparation

Owner's Manual
Please check local building codes regarding footings, location and other requirements before beginning construction.

Assembly instructions:
Reviewing all instructions and the appropriate information before you begin, make sure following the step sequence carefully for successful results.

Flooring base:
A good location for the storage building is a square and level area with good drainage. The base is not included in the kit which may need purchase separately or may construct a foundation and anchoring system of your own.

A strong plastic sheet (thickness: at least 150μm) should be placed under the foundation to assist in reducing rising dampness from the soil, thus reducing condensation build up in the shed. Your storage building must be anchored to prevent wind damage. Once secured, it is highly recommended applying silicone along the inside of the base rail to minimize condensation.

Parts and Parts List:
Before you start, separate and identify all the parts and hardware to be sure that you have all the necessary parts for your building (refer to the Parts List Page).

If you find that a part is missing, please notify the seller within one week after receiving the product. Do not attempt to assemble the building if parts are missing because any building left partially assembled may be seriously damaged by light winds.

Tools you need:
(Please tear off the safety protection layer before the assembly, keep the part number label if needed)



Safety must be put in the No. 1 position:

1. Select a dry and calm day for your assembly. Team works (Two or more people) are required during the assembly. It is also recommended to finish the assembly in a day to avoid damage to the product or missing of some small parts.
2. Wearing safety gloves, eye protection and long sleeves during the assembly to prevent injury. Pay attention to the sharp edge of some parts.
3. Children and pets are not allowed entering into the construction site.
4. Never concentrate your total weight on the roof of the building. When using a step ladder make sure that it is safe.

Care & Maintenance:

1. Keep the shed clean with soft cloth, use water if necessary.
2. Keep the door tracks clear of dirt and other stuff that prevent them from sliding easily.
3. Clean the snow with necessary tools to make sure it is safe to enter into.
4. The shed is not made for living but storing stuff.
5. Please add some oil on the top and bottom door sliding channel to make door slides smoothly.

Size:



Area of installation requirement:



TOP2



TOP1



MIDDLE



DOOR



UNDER



Hardware List

NO.	IMAGE	MM	QTY	Box No.
UNDER				
Bm-B1		1366	X1	2/2
Bm-B2		1372	X1	2/2
Bs-A3		1166	X2	2/2
Bm-B4		932	X1	2/2
Bm-B5		932	X1	2/2
Bs-A6		916	X1	2/2
MIDDLE				
Bm-A7		1540	X10	1/2
Bm-A7b		1540	X1	1/2
Bm-A7c		1540	X1	1/2
Bs-A18		1078	X1	2/2

Bm-8		1540	X4	2/2
Bm-16		1538	X1	2/2
Bm-17		1538	X1	2/2
Bn-B11		1324	X1	2/2
Bn-B12		1324	X1	2/2
Bn-A13		1166	X2	2/2
Bm-B9		1304	X1	2/2
Bm-B10		1304	X1	2/2
TOP1				
Bn-B19b		1325	X1	2/2
Bn-B19c		1325	X1	2/2
Bs-B28		1372	X1	2/2
Bs-B28a		1372	X1	2/2
Bn-A40		540	X1	2/2
Bn-A21b		1215	X1	2/2
Bn-A21c		1215	X1	2/2

T-X29		103	X3	2/2
Bn-A56		195	X8	2/2
TOP2				
Bn-A23		1106	X4	1/2
Bn-A24		1106	X4	1/2
Bn-A26		1320	X1	2/2
Bn-A26		1320	X1	2/2
Bm-B38		1490	X1	2/2
Bm-B38a		1490	X1	2/2
Bm-39		1280	X2	2/2
DOOR				
Bm-A30		1528	X1	2/2
Bm-A35		1528	X1	2/2
Bm-A31		1525	X2	2/2
Bm-A32		495	X4	2/2
Bs-A33		424	X2	2/2

Bs-A34		424	X2	2/2
Bs-A36		1120	X2	2/2
Bs-A37		1120	X2	2/2
ANNEX				
T-P1			X4	2/2
T-P2			X4	2/2
BCP3			X4	2/2
TP5A			X2	2/2
T-P6			X2	2/2
T-P7		150	X1	2/2
Bn-B50			X191	2/2
Bn-B51		st4X10	X250	2/2
Bn-B52		st5X16	X8	2/2
Bn-B53		M4X10	X108	2/2
Bn-B54			X107	2/2
V-A3		751	X4	2/2
V-A2		1018	X4	2/2

PRODUCT ASSEMBLY

⚠ Check the package contents before getting started !

STEP 1

Bn-B51		X12





PRODUCT ASSEMBLY

STEP 2

Bn-B51		X4





STEP 3

Bn-B50		X8
Bn-B51		X8
Bn-B53		X1





STEP 4

Bn-B50		X5
Bn-B51		X5
Bn-B53		X1





PRODUCT ASSEMBLY

STEP 5

Bn-B50		X5
Bn-B51		X5
Bn-B53		X1





PRODUCT ASSEMBLY

STEP 6

Bn-B50		X8
Bn-B51		X8
Bn-B53		X1





PRODUCT ASSEMBLY

STEP 7

Bn-B50		X12
Bn-B51		X12





PRODUCT ASSEMBLY

STEP 8

Bn-B51		X1





STEP 9

Bn-B50		X6
Bn-B51		X6





STEP 10

T-P2		X4



STEP 11

Bn-B51		X2



STEP 12

Bn-B50		X8
Bn-B51		X8



1



2



STEP 13

Bn-B50		X36	Bn-B53		X6
Bn-B51		X36			



1



2



STEP 14

Bn-B50		X34	Bn-B53		X5
Bn-B51		X34			





STEP 15

Bn-B50		X4	Bn-B53		X6
Bn-B51		X4			





PRODUCT ASSEMBLY

STEP 16

TP5A		X2	Bn-B53		X4



STEP 17

Bn-B53		X8



PRODUCT ASSEMBLY

STEP 18

Bn-B53		X2
Bn-B51		X10



PRODUCT ASSEMBLY

STEP 19

Bn-B53		X6
Bn-B51		X12



PRODUCT ASSEMBLY

STEP 20

Bn-B53		X4



PRODUCT ASSEMBLY

STEP 21

Bn-B53		X8



PRODUCT ASSEMBLY

STEP 22

Bn-B53		X2



PRODUCT ASSEMBLY

STEP 23

Bn-B50		X6	Bn-B51		X6





PRODUCT ASSEMBLY

STEP 24

Bn-B50		X52	Bn-B51		X52





PRODUCT ASSEMBLY

STEP 25

Bn-B50		X6	Bn-B51		X6





PRODUCT ASSEMBLY

STEP 26

Bn-B50		X10	Bn-B51		X10





PRODUCT ASSEMBLY

STEP 27

Bn-B50		X4	Bn-B51		X4





PRODUCT ASSEMBLY

STEP 28

Bn-B51		X4	T-P3		X4





PRODUCT ASSEMBLY

STEP 29

Bn-B53		X19	T-P1		X2
T-P6		X1			



PRODUCT ASSEMBLY

STEP 30

Bn-B53		X19	T-P1		X2
			T-P6		X1



PRODUCT ASSEMBLY

STEP 31

Bn-B52		X8





PRODUCT ASSEMBLY

STEP 32

Bn-B51		X16



STEP 33

Bn-B54